
ethylene glycol, are connected in a series to produce a column 9 m long.

As the gas emerges from the column, the components are detected by the hot wire thermal conductivity unit. By means of a small needle valve, the flow of the gas is adjusted so that about one percent of the total effluent from the column passes through the detector. The rest of the stream is carried to two solenoid valves controlled by a microswitch mounted on the recording potentiometer. When the major component causes the recorder pen to reach a predetermined position on the scale, the solenoid valves are activated through a relay. This action directs the desired component through one of the valves into a cold trap where it is cooled to its liquid state. Then when the recorder pen has returned to the activation point, the remaining portion of the sample (including some of the impurities) is vented to the atmosphere through the other valve. At a predetermined time, the next aliquot is injected and the purification cycle repeated. During weeks of continuous use, no difficulty due to drift of the base line of the recorder was experienced.

To check the effectiveness of the apparatus, the Bureau used it to purify toluene and ethylbenzene. From freezing-point analysis, the purity of 80 ml of toluene, collected at a rate of 25 ml per day, was found to have increased from 99.4 to 99.95 mole percent, whereas the purity of 70 ml of ethylbenzene, purified at a rate of 13 ml per day, was increased from 99.1 to 99.8 mole percent.

A complex mixture of mesitylene containing many impurities was found to be more difficult to purify. However, after two separations with the automatic apparatus, chromatographic analysis indicated the purity was substantially increased.

Before the preparative-scale chromatograph can be operated continuously for long periods, the appropriate chromatographic column, column temperature, and gas-flow rate for the specific separation must be determined. Experiments must be carried out to determine



Automatic gas-chromatographic apparatus developed for purifying materials. The apparatus includes automatic, timed sample injection, and automatic collection governed only by the selected peak height, which is indicated on the associated recorder.

the time that will be required for each cycle, the sensitivity setting of the detector that will permit only the peak due to the major component to activate collection, and the maximum quantity of sample that may be processed without overloading the column. Work is being continued to increase the efficiency and versatility of the process by appropriate changes in the variables involved.

## INDEX TO TECHNICAL NEWS BULLETIN—VOLUME 45, 1961

A	Page	В	Page
Accuracy of pH standards increased (Dec.)	205	Black void reactor concept (Aug.)	128
Accurate thermal voltage converters (June)	98	Boulder scientist, point in Antarctica named for (May)	
Advisory committees established, two technical (Jan.)	16	Brass, residual stresses in and the Bauschinger effect (Dec.)	
Advisory panels, Foote named coordinator of NBS (Jan.)	15	Breaks ground for new NBS laboratories, Commerce Secretary (Aug.)	
Alkyl radical reactions (Nov.)	192	Broadcasts, changes in WWV/WWVH standard (Jan.)	
Allen, Kushner, Hudson named division chiefs (Dec.)	204	Building Research Committee, Folsom to head NAS-NRS (Sept.)	
Alloys for low-temperature bonding, gallium (Jan.)	5	Buildings, pipe sizes for plumbing stacks in (Aug.)	140
Ambler receives Flemming award (June)	107		
Amides, electrolysis of simple (July)		C	
AMOS IV computer for a prototype automatic weather station (Jan.)			
Analog simulation of zone melting (Nov.)Announcement of new publication: Precision measurement and	181	Calibration, announcement of new publication: precision measurement and (Jan.)	. 17
calibration (Jan.)		Calibration of gage blocks (Feb.)	
Antarctica named for Boulder scientist, point in (May)	88	Calibration of inductive voltage dividers (May)	
Antenna, oblique-incidence riometer (Nov.)	193	Calibration of microphones (Nov.)	
Antennas for detecting micropulsations (May)	83	Calibration of optical pyrometers (Nov.)	
Apparatus for vacuum evaporations (Feb.)	30	Calibration of platinum resistance thermometers (Apr.)	
Atmosphere and outer space, scatter radar investigation of upper (Oct.)	163	Calibration service, microwave impedance (Aug.)	
Atmospheric research reported (Sept.)	158	Calibrations, thermocouple (Mar.)	44
Atomic frequency standards (Jan.)	8	Carbon 14, redetermination of the half-life of (Feb.)	
Atomic transition probabilities and collision cross sections, new data		Cells discontinued, certification of unsaturated standard (July)	
center on (Sept.)	151	Cement, fourth international symposium on the chemistry of (Feb.)	
Auroral fluctuations, study of (Sept.)		Certification of unsaturated standard cells discontinued (July)	
Automatic purification by preparative-scale chromatography (Dec.)		Changes in WWV/WWVH standard broadcasts (Jan.)	
Automatic weather station, AMOS IV computer for a prototype (Jan.)		Chemistry division reorganization announced (Feb.)	
Award, Ambler receives Flemming (June)	107	Chemistry of cement, fourth international symposium on the (Feb.)	
Awarded IES gold medal, Judd (Nov.)		Chromatography, automatic purification by preparative-scale (Dec.)	
Awards, gold medal exceptional service, go to nine staff members (June)	104	Chromatography, low-level carbonate determination by gas phase (Oct.)	

<sup>&</sup>lt;sup>1</sup> For example, see D. Ambrose and R. R. Collerson, Nature 177, 323 (1956).

	02	L	Page
Cobalt 60 source, 50,000 curie (June)	183	Lenses, measuring resolving power in precision (Apr.)	70
Combustion reactions, inhibition of (July)	122	Lenses, plane of best average definition for (Feb.)	21
Commerce Secretary breaks ground for new NBS laboratories (Aug.)	131	Liquid system, disturbances in a two-layer (Sept.) Low-level carbonate determination by gas phase chromatography	154
Committees established, two technical advisory (Jan.)	16	(Oct.)	177
Computer for a prototype automatic weather station, AMOS IV (Jan.)	13 142	Low-level radioactivity laboratory established (May)	81
Conferences, measurement research (Jan.)	1	Low-temperature bonding, gallium alloys for (Jan.)	5
Construction bids sought for new laboratories, first (May)	84	Low-temperature reaction in copper-oxygen system (Apr.)	61
Convective currents in water, study of (June)	91	Luminance standards (May)	75
Copolymer composition, determination of (Mar.)	42	M	
Copper, growth rate of oxide films on (Aug.)	134 31	Materials, standard:	
Crystals from the vapor phase, growth of metal (Aug.)	130	Hydrocarbon blends (June)	102
Crystals with folded chains, polymer (Aug.)	129	Metallo-organic standard sample (Mar.)	50
D		Microcopy resolution test chart (Feb.)	24 24
		Radionuclides (Dec.)	205
Data center on atomic transition probabilities and collision cross sections, new (Sept.)	151	Standard for measuring the pH of blood (July)	119
Determination of copolymer composition (Mar.)	42	Standard samples of hydrogen-in-titanium (Oct.)	
Determination of iron, aluminum, titanium, and zirconium, separation		Surface flammability standard (May)	82 50
and (May)	76	Two radioactivity standard materials (Sept.)	149
Diamond, high-temperature heat capacity of (Sept.)	146 210	Measure and calibration, announcement of new publication:	
Disturbances in a two-layer liquid system (Sept.)	154	Precision (Jan.)	17
Dosimeter extended, range of ferrous sulfate (Dec.)	203	Measurement of flow and elastic recovery, viscoelastometer for (May)	78 19
E		Measurement research conferences (Jan.)	1
~		Measurements, plasma temperature and electron densities from line	
Effect of dodecyl alcohol on fatigue crack propagation (Oct.)	178	broadening (July)	109
Electrode reactions, relaxation theory applied to (Nov.) Electrolysis of simple amides (July)	182 115	Measuring the pentosans and carboxyl content of cellulose, survey of methods for (Aug.)	138
Electron densities from line broadening measurements, plasma tem-	****	Measuring the pH of blood, standard materials: a standard for (July)	119
peratures and (July)	109	Measuring resolving power in precision lenses (Apr.)	. 70
Electron dose from a narrow beam source, fast (Aug.)  Electron emission in the field emission region, temperature dependence	139	Meeting, joint URSI-IRE fall 1960 (Mar.)  Metal crystals from the vapor phase, growth of (Aug.)	40
of (Nov.)	195	Metal foils, method for determining the mechanical properties of	130
Electron filter lens, improved (Oct.)	168	(Nov.)	194
Ephi-a radio system for investigating sferics (Apr.)	60	Metallurgical systems, phase-equilibrium studies in (Oct.)	170
Equations representing steel expansion (Apr.)	72 51	Metals, X-ray measurement of intragranular misorientation in (Feb.) — Method for determining the mechanical properties of metal foils	. 19
	JA	(Nov.)	194
F		Metrology, frustrated total reflection-its application to proximity prob-	
Fast electron dose from a narrow beam source (Aug.)	139	lems in (July)	. 110
Fatigue crack propagation, effect of dodecyl alcohol on (Oct.)	178	Microcite machine for large-scale information searching, new (July)	188
Fifty-thousand-curie cobalt 60 source (June)  Fires involving liquids, small models aid studies of extinction of (July)	92 120	Micropulsations, antennas for detecting (May)	813
First construction bids sought for new laboratories (May)	84	Microwave impedance calibration service (Aug.)	1.36
Flemming Award, Ambler receives (June)	107	Millimeter wave Fabry-Perot interferometer (Oct.)	166
Folsom to head NAS-NRS building research committee (Sept.)	155	N	
Forty-sixth national conference on weights and measures (Aug.)	15 142	NDS	
Fourth international symposium on the chemistry of cement (Fcb.)	32	NBS marks sixty years (Mar.) NBS postdoctoral research associateship appointees announced (Nov.)	- 37 - 186
Fourth temperature symposium (June)	105	Negative ion studies (Apr.)	55
Frequency standards, atomic (Jan.)	8	Neutron flux, recalibration of standard thermal (Mar.)	- 43
metrology (July)	110	New data center on atomic transition probabilities and collision cross	
C		sections (Sept.)  New microcite machine for large-scale information searching (July)	151
C U I II III II II I		0	
Gage blocks, calibration of (Feb.) Gallium alloys for low-temperature bonding (Jan.)	26 5	U	
Gamma radiation, ozone formation by (June)	96	Oblique-incidence riometer antenna (Nov.)	_ 193
Gamma-ray Campration, A. and (July)	116	Optical study of supersonic boundary-layer transition (Apr.)	
Gas phase chromatography, low-level carbonate determination by (Oct.) - Geomagnetic storm forecast by NBS (Sept.)	177	Ozone formation by gamma radiation (June)	- 96
Gold medal exceptional service awards go to nine staff members (June)	160 104	P	
Growth of metal crystals from the vapor phase (Aug.)	130	pH standards increased, accuracy of (Dec.)	205
Growth rate of oxide films on copper (Aug.)	134	Phase angle master standard (Sept.)	
H		Phase-equilibrium studies in metallurgical systems (Oct.)	_ 170
	100	Photoelectric pyrometer developed (Oct.)	_ 165
Hafnium from zirconium, separation of (Aug.)  He <sup>3</sup> refrigerator, portable (Aug.)	137	Photolysis of ethane (Mar.)	140
High-flux research reactor for new NBS site (Aug.)	127	Plane of best average definition for lenses (Feb.)	_ 21
High-pressure polymerization induced by gamma radiation (Dec.)	206	Plasma temperature and electron densities from line broadening meas	. 109
High-purity trimethylborane (June) High-speed three-color pyrometer (Sept.)	99 148	Plumbing stacks in buildings, pipe sizes for (Aug.)	
High-temperature heat capacity of diamond (Sept.)	146	Point in Antarctica named for Boulder scientist (May)	_ 88
High voltage section, Kotter chief of new (Dec.)	208	Polymer crystals with folded chains (Aug.)	_ 129
Hudson named division chiefs, Allen, Kushner, (Dec.)	204	Polymerization induced by gamma radiation, high-pressure (Dec.) Polymorphism of rare-earth borates (May)	206
Hydrogen bonding in hydroxyapatites (Apr.)  Hydrogen-in-titanium, standard samples of, standard materials: (Oct.)	67	Portable He <sup>3</sup> refrigerator (Aug.)	132
The state of the s	202	Postdoctoral research associateship appointees announced, NBS (Nov.)	186
1		Postdoctoral research associateships (Mar.)	52
Improved dielectric specimen holder (Dec.)	210	Precision measurement and calibration, announcement of new publication (Jan.)	17
Improved electron filter lens (Oct.)	168	Preparative-scale chromatography, automatic purification by (Dec.)	212
Improved standard observer for colorimetry (Nov.)	183	Problem of windstorm damage to asphalt shingles (Apr.)	_ 68
Inhibition of combustion reactions (July)	122	Program announced for 1961 temperature symposium (Jan.)	191
Interferometer, millimeter wave Fabry-Perot (Oct.)	166	Publication: Precision measurement and calibration, announcement	
International practical temperature scale (Apr.)	65	new (Jan.)	17
Ion studies, negative (Apr.)  Ionization chamber for determination of total X-ray beam energy (Dec.)	209	Purification, automatic, by preparative-scale chromatography (Dec.)	
T	203	Pyrometer developed, photoelectric (Oct.)	165
J		Pyrometers, calibration of optical (Nov.)	184
Joint URSI-IRE fall 1960 meeting (Mar.)	40		
Judd awarded IES gold medal (Nov.)	196	R	
K		Radiation field from a rectangular source (Mar.)	48
	208	Radical reactions, alkyl (Nov.)	192
Kushner, Hudson named division chiefs, Allen (Dec.)		Radio system for investigating sferies, Ephi-a (Apr.)	
	200		

T

B

Je

	Page		Page
Radioactivity standard materials, two standard materials (Sept.)	149	Supersonic boundary-layer transition, optical study of (Apr.)	57
Radionuclide standard materials issued (Dec.)	205	Survey of methods for measuring the pentosans and carboxyl content	120
Range of ferrous sulfate dosimeter extended (Dec.)	80	of cellulose (Aug.)	138
Rate of the reaction NO+N (Aug.)	139	Symposium, program announced for 1961 temperature (Jan.)	7
Reaction NO+N, rate of the (Aug.)	139	Synthetic fibers, structural modification of (Sept.)	152
Reactor concept, black void (Aug.)	128	System for describing visual appearance (June)	93
Reactor for new NBS site, high-flux research (Aug.)	127	T	
Recalibration of standard thermal neutron flux (Mar.)	21		
Redetermination of NBS unit of resistance by new method (Oct.)	164	Tables, spectral-line intensity (Dec.)	201
Relaxation theory applied to electrode reactions (Nov.)	182	Temperature dependence of electron emission in the field emission region (Nov.)	195
Reorganization announced, chemistry division (Feb.)	34 127	Temperature heat capacity of diamond, high- (Sept.)	146
Research reactor for new NBS site, high-flux (Aug.)	161	Temperature reaction in copper-oxygen systems, low- (Apr.)	61
Riometer antenna, oblique-incidence (Nov.)	193	Temperature scale, international practical (Apr.)	65
Rubber, cross linkage of natural (Feb.)	31	Temperature symposium, fourth (June)	105
0		Temperature symposium, program announced for 1961 (Jan.)  Thermocouple calibrations (Mar.)	7
S		Thermometers, calibration of platinum resistance (Apr.)	62
Scatter radar investigation of upper atmosphere and outer space (Oct.)	163	Time adjustment in WWV and WWVH standard broadcasts (Sept.)	157
Separation and determination of iron, aluminum, titanium, and zir-		Two technical advisory committees established (Jan.)	16
conium (May)	76 137	¥1	
Separation of hafnium from zirconium (Aug.)	60	U	
Shingles, problem of windstorm damage to asphalt (Apr.)	68	Ultra-low conductivity water (June)	100
Simulation of zone melting, analog (Nov.)	181	Unit of resistance by new method, redetermination of NBS (Oct.)	164
Sixty years, NBS marks (Mar.)	37	(Oct.)	163
Small models aid studies of extinction of fires involving liquids (July)	120	URSI-IRE fall 1960 meeting, joint (Mar.)	40
Space, scatter radar investigation of upper atmosphere and outer (Oct.)	163	*7	
Spectral-line intensity tables (Dec.)	201	V	
Standard cells discontinued, certification of unsaturated (July)	124	Vacuum evaporations, apparatus for (Feb.)	30
Standard materials:	102	Viscoelastometer for measurement of flow and elastic recovery (May)	78
Hydrocarbon blends (June)	50	Visual appearance, system for describing (June)	93 98
Microcopy resolution test chart (Feb.)		Voltage dividers, calibration of inductive (May)	73
Radionuclides (Feb.)	24		1.5
Radionuclides (Dec.)		W	
Standard for measuring the pH of blood (July)	119 169	Water, ultra-low conductivity (June)	100
Standard samples of hydrogen-in-titanium (Oct.)		Weights and measures, 46th national conference on (Aug.)	142
Thermometric cells (Mar.)		Windstorm damage to asphalt shingles, problem of (Apr.)	68
Two radioactivity standard materials (Sept.)	149	WWV/WWVH standard broadcasts, changes in (Jan.)	11
Standard materials issued, radionuclide (Dec.)		WWV and WWVH standard broadcasts, time adjustment in (Sept.)	157
Standard observer for colorimetry, improved (Nov.)		X	
Standard thermal neutron flux, recalibration of (Mar.)		V and amount of the control of the c	
Standards, atomic frequency (Jan.)		X- and gamma-ray calibration (July)X-ray harrier determinations (Apr.)	116
Standards increased, accuracy of pH (Dec.)		X-ray beam energy, ionization chamber for determination of total	00
Standards, luminance (May)		(Dec.)	209
Steel expansion, equations representing (Apr.) Structural modification of synthetic fibers (Sept.)		X-ray film, successive irradiation of (June)	95
Study of auroral fluctuations (Sept.)		X-ray measurement of intragranular misorientation in metals (Feb.)	19
Study of coatings formed by eathodic protection (Sept.)	156	Z.	
Study of convective currents in water (June)		_	
Successive irradiation of X-ray film (June)	95	Zirconium, separation of hafnium from (Aug.)	137

## Publications of the National Bureau of Standards

Technical News Bulletin, Volume 45, No. 11, November 1961. 15 cents. Annual subscription: \$1.50. 75 cents additional for foreign mailing. Available on a 1-, 2-, or 3-year subscription basis.

Basic Radio Propagation Predictions for February 1962. Three months in advance. CRPL-207, issued November 1961. 15 cents. Annual subscription \$1.50, 50 cents additional for foreign mailing. Available on a 1-, 2-, or 3-year subscription basis.

Journal of Research of the National Bureau of Standards Section A. Physics and Chemistry. Issued six times a year. Annual subscription: Domestic, \$4; foreign, \$4.75.

Section B. Mathematics and Mathematical Physics. quarterly. Annual subscription: Domestic, \$2.25; foreign.

Section C. Engineering and Instrumentation. Issued quarterly. Annual subscription: Domestic, \$2.25; foreign, \$2.75. Section D. Radio Propagation. Issued six times a year. Annual subscription: Domestic, \$4; foreign, \$4.75.

## Current Issues of the Journal of Research

Section A. Physics and Chemistry, Vol. 65A, No. 6, November-December 1961.

Comparison of lens response for sinusoidal and square-wave targets at several focal positions. Sayeda H. Emara, Wavelength shifts in Hg100 as a function of temperature.

Sayeda H. Emara.

Variability of spectral tristimulus values. Isadore Nimeroff, Joan R. Rosenblatt, and Mary C. Dannemiller.

Extension of the Flory-Rehner theory of swelling to an anisotropic polymer system. Stephen D. Bruck.

Fiber structure-property relationships: a disulfide-crosslinked

self-crimping polyamide. Stephen D. Bruck.

Acidity functions. Values of the quantity  $\rho(\mu_0 \gamma_1)$  for buffer solutions from 0 to 95 °C. Roger G. Bates and R. Gary.

2,3-0-Isopropylidene-a-D-lyxofuranose, the monoacetone-D-lyxose of Levene and Tipson. Robert Schaffer.

Effect of perchloryl fluoride additions on the flame speed of methane. Carl Halpern. Section B. Mathematics and Mathematical Physics, Vol. 65B,

No. 4, October-December 1961.

Physical entities and mathematical representation. C. H. Page. On the range of a fleet of aircraft. A. J. Goldman.

Measurement of wave fronts without a reference standard: Part I. The wave-front-shearing interferometer. James B. Saunders

On the evaluation of the function  $\Phi(\lambda) =$ 

$$\frac{1}{2\pi i} \int_{\sigma - i\infty}^{\sigma + i\infty} e^{u \ln u + \lambda u} du$$

for real values of λ. Wolfgang Börsch-Supan.

Analyticity and probability properties of one-dimensional Brownian motion. Abolghassem Ghaffari.

Some higher order integral identities with application to bound-ing techniques. J. H. Bramble and B. E. Hubbard.

A priori bounds in the first boundary value problem in elasticity. J. H. Bramble and L. E. Payne.

Section C. Engineering and Instrumentation, Vol. 65C, No. 4, October-December 1961.